

48.3mm Safety Factor ≥4 Ringlock Scaffolding System 2-Year Warranty

Basic Information	
• Place of Origin:	China
Brand Name:	Bythai
Model Number:	BT03



Product Specification

Vertical Adjustment:	≤±3°
 Horizontal Load Capacity: 	≥15KN
• Warranty:	2 Years
Max Height:	≤30m
Material:	Q235 Steel
Safety Factor:	≥4
Surface Treatment:	Hot-dip Galvanized
• Joints:	Double-locking
Highlight:	scaffolding ringlock system, horizontal ringlock system scaffolding

Product Description:

The Ringlock System Scaffolding is an advanced scaffolding system that features a unique locking mechanism. It is made up of a ringlock ledger, horizontal, vertical, and adjustable components, all of which are hot-dip galvanized for maximum protection against corrosion. This system has a maximum height of up to 30m and allows for vertical adjustment of up to $\pm 3^{\circ}$. The standard size of the components is 48.3mm, while the components include verticals, horizontals, diagonals, braces, base plates, ladders, and more. The Ringlock Scaffolding System is easy to assemble and provides a safe and reliable scaffolding solution.

Features:

Ringlock System Scaffolding: A scaffold system that consists of vertical, horizontal, diagonal, brace, base plate, ladder, etc. ----- Standard: EN12810 & EN12811

Size: 48.3mm

Weight: ≤30kg/m2

Vertical Adjustment: ≤±3°

Ringlock Ledger: A strong and reliable horizontal component of the Ringlock System Scaffolding

Ringlock Scaffolding System: An efficient and stable scaffolding system with easy installation and dismantling

Technical Parameters:

Parameter	Specification
Max Height	≤30m
Weight	≤30kg/m2
Size	48.3mm
Horizontal Adjustment	≤±3°
Joints	Double-locking
Warranty	2 Years
Horizontal Load Capacity	≥15KN
Components	Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
Safety Factor	≥4
Standard	EN12810 & EN12811

Applications:

Ringlock System Scaffolding

Bythai's Ringlock System Scaffolding, Model BT03, is manufactured in China and is an ideal solution for any construction project. It is known for its remarkable vertical load capacity of up to 45KN, with a safety factor of 4 and a weight of at most 30kg/m2. With a size of 48.3mm and a vertical adjustment of ±3°, the Ringlock System Scaffolding is one of the most reliable scaffolding solutions for any job. It is perfect for any project that requires high safety standards; its ringlock accessories are designed to ensure maximum stability and safety at any job. It is the most cost-effective way to construct a scaffolding structure, as it offers easy installation and great flexibility. It is recommended for all types of scaffolding projects, such as bridge construction, housebuilding, and more. Bythai's Ringlock System Scaffolding is the best choice for any scaffolding job as it is designed to last and offer superior safety. With its

vertical load capacity, safety factor, size, and weight, it is the most reliable scaffolding solution to get the job done.

Customization:

Customized Ringlock System Scaffolding Service by Bythai (Model No. BT03)

Bythai Ringlock System Scaffolding is one of the strongest and most dependable scaffolding systems available. Model No. BT03 is made with hot-dip galvanized surface treatment, and includes components such as vertical, horizontal, diagonal, brace, base plate, ladder, etc. Bythai Ringlock System Scaffolding is designed to provide superior horizontal adjustment with $\leq \pm 3^{\circ}$, and horizontal load capacity of ≥ 15 KN. It is highly reliable and durable, and comes with a 2-year warranty.

Choose Bytha Ringlock System Scaffolding for your construction projects and enjoy the highest quality Ringlock scaffolding and Ringlock andamios.

Support and Services:

Ringlock System Scaffolding Technical Support and Services

At Ringlock System Scaffolding, we take pride in providing comprehensive technical support and services to ensure that our customers get the most out of our products. Our technical support team is available to answer any questions you may have about our products and services. We strive to provide timely, accurate, and helpful information to our customers.

Technical support and services include: Product installation and setup assistance

Troubleshooting and problem solving

Training and education

Product maintenance and updates

Replacement parts and components

We understand that our customers rely on our products and services to get the job done, so we make sure that our technical support team is always available to help with any issue or question you may have. We are committed to providing the best possible customer service experience and technical support to our customers.

Packing and Shipping:

Packaging and Shipping

The Ringlock System Scaffolding is packaged and shipped in accordance with the following standards:

All components are thoroughly inspected and packaged in sturdy containers that are designed to protect against damage during shipment.

The containers are labeled with the product name, model number, and other relevant information.

Shipments are tracked to ensure that the customer receives the product in a timely manner.

The product is shipped with detailed instructions for assembly and use.

FAQ:

Q1: What is the Brand-Name of the Ringlock-System Scaffolding?-

A1: The Brand Name of the Ringlock System Scaffolding is Bythai.

Q2: What is the Model Number of the Ringlock System Scaffolding?

A2: The Model Number of the Ringlock System Scaffolding is BT03.

Q3: What is the Place of Origin of the Ringlock System Scaffolding?

A3: The Place of Origin of the Ringlock System Scaffolding is China.

Q4: What is the material of the Ringlock System Scaffolding?

A4: The material of the Ringlock System Scaffolding is Q345 high-strength steel.

Q5: What is the load capacity of the Ringlock System Scaffolding?

A5: The load capacity of the Ringlock System Scaffolding is up to 4KN/m2.

