


## Construction Essential 48.3mm Ringlock Standard with Safety Factor $\geq 4$

### Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Model Number: BT03



### Product Specification

- Max Height:  $\leq 30\text{m}$
- Safety Factor:  $\geq 4$
- Vertical Adjustment:  $\leq \pm 3^\circ$
- Weight:  $\leq 30\text{kg/m}^2$
- Standard: EN12810 & EN12811
- Joints: Double-locking
- Horizontal Adjustment:  $\leq \pm 3^\circ$
- Size: 48.3mm



## Product Description

### Product Description:

Ringlock System Scaffolding is an advanced scaffolding system designed to provide superior safety and stability. Developed with high-grade Q235 Steel, it is the perfect choice for building construction projects. The components of Ringlock System Scaffolding include Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc. It features double-locking joints for maximum stability, and the vertical adjustment can be  $\leq \pm 3^\circ$ . This Ringlock andamios system comes with a 2-year warranty. Thanks to its durability and advanced Ringlock Scaffolding System design, this product is the #1 choice of professionals in the construction industry.

### Technical Parameters:

Parameter	Specification
Vertical Load Capacity	$\geq 45\text{KN}$
Surface Treatment	Hot-dip Galvanized
Material	Q235 Steel
Joints	Double-locking
Horizontal Load Capacity	$\geq 15\text{KN}$
Vertical Adjustment	$\leq \pm 3^\circ$
Standard	EN12810 & EN12811
Weight	$\leq 30\text{kg/m}^2$
Size	48.3mm
Warranty	2 Years

### Applications:

Make Your Construction Works Easier and Safer with Bythai BT03 Ringlock System Scaffolding

Bythai BT03 Ringlock System Scaffolding is the perfect choice for any construction project. It is designed to provide maximum stability and safety with the highest vertical and horizontal load capacities and safety factors. With the vertical adjustment up to  $\pm 3^\circ$ , and the horizontal load capacity up to 15KN, the Bythai BT03 Ringlock System Scaffolding offers an excellent solution to any construction project. The Ringlock scaffolding system comes with a variety of components, such as vertical, horizontal, diagonal, brace, base plate, ladder, and more, so you can tailor the system to fit your specific needs.

The Bythai Ringlock System is extremely durable and reliable, perfect for any demanding construction job. With a 2-year warranty, you can rest assured that your construction works will be safe and secure. The Ringlock ledger keeps the entire system in place and is designed to take on huge weights. The Ringlock andamio is designed to be adjustable, so you can easily adjust it to different heights and angles. The Ringlock formwork provides an excellent foundation for any construction project, and the Ringlock scaffolding system offers unbeatable stability and safety.

Make your construction works easier and safer with the Bythai BT03 Ringlock System Scaffolding. With its impressive safety factor of up to 4, and its high load capacity, you can rest assured that your construction works will be safe and secure.

### Customization:

#### Ringlock System Scaffolding

**Brand Name:** Bythai

**Model Number:** BT03

**Place of Origin:** China

**Weight:**  $\leq 30\text{kg/m}^2$

**Max Height:**  $\leq 30\text{m}$

**Vertical Adjustment:**  $\leq \pm 3^\circ$

**Horizontal Load Capacity:**  $\geq 15\text{KN}$

**Material:** Q235 Steel

Ringlock System Scaffolding is a revolutionary formwork system from Bythai. It is a rigid, durable and light weight ringlock standard scaffolding system that is suitable for all kinds of construction projects. It is made of Q235 steel and has a maximum height of 30m with vertical adjustment of  $\pm 3^\circ$ . It has a weight of  $\leq 30\text{kg/m}^2$  and a horizontal load capacity of  $\geq 15\text{KN}$ .

### Packing and Shipping:

Packaging and Shipping of Ringlock System Scaffolding

Ringlock System Scaffolding is typically delivered to the customer in a flat package that includes the necessary fittings and components for assembly. The package includes a protective plastic cover and a cardboard box for the components. The components are individually

wrapped for protection and to ensure that they are easy to handle and transport.

The package should be handled with care to avoid damage while in transit. All components should be inspected upon delivery and any damaged parts should be reported immediately to the supplier.

The package should be stored in a secure, dry location to prevent damage due to weather or other factors. The package should not be exposed to direct sunlight or extreme temperatures.

## FAQ:

Q1: What is Ringlock System Scaffolding?

A1: Ringlock System Scaffolding, made by Bythai with model number BT03, is a modular scaffolding system which is designed with high safety and strength. It is made of galvanized steel and is widely used in the construction industry.

Q2: What are the advantages of Ringlock System Scaffolding?

A2: The advantages of Ringlock System Scaffolding include its easy and quick installation, its high safety and stability, and its strong load-bearing capacity. Its galvanized surface also makes it resistant to rust and corrosion.

Q3: What is the origin of Ringlock System Scaffolding?

A3: Ringlock System Scaffolding is made by Bythai with model number BT03, and is originated from China.

Q4: What is the material of Ringlock System Scaffolding?

A4: Ringlock System Scaffolding is made of high-quality galvanized steel, which makes it resistant to rust and corrosion.

Q5: What is the application of Ringlock System Scaffolding?

A5: Ringlock System Scaffolding is widely used in the construction industry and can be used for many purposes such as formworks, scaffolding, and falsework.



**Bythai Scaffolding Co.,Ltd**



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China