

48.3mm Diameter Q235 Galvanised Scaffold Tube for Versatile Scaffolding Applications

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Surface Treatment: Galvanised
- Weight: 6.4kg/m
- Material: Galvanised Steel
- Diameter: 48.3mm
- Tensile Strength: 420N/mm²
- Thickness: 3.2mm
- Yield Strength: 245N/mm²
- Application: Scaffolding



Product Description:

Galvanised Scaffold Tube

Galvanised Scaffold Tube is a type of tube and coupler scaffolding system that is widely used in the construction industry. It is made from high-quality galvanised steel and is designed to provide a sturdy and safe support structure for workers at heights.

Material

The Galvanised Scaffold Tube is made from galvanised steel, which is known for its strength and durability. The galvanisation process involves coating the steel with a layer of zinc, making it resistant to corrosion and rust. This ensures that the scaffold tube will have a longer lifespan and can withstand harsh weather conditions.

Standard

The Galvanised Scaffold Tube complies with the EN39 standard, which is the European standard for steel tubes used in scaffolding systems. This standard sets the requirements for the sizes, tolerances, and technical conditions for hot dip galvanized scaffolding steel tube, ensuring that the scaffold tubes are of high quality and can meet the safety standards.

Yield Strength

The Galvanised Scaffold Tube has a yield strength of 245N/mm², which means it can withstand a maximum load of 245 Newtons per square millimeter before it starts to deform. This high yield strength makes the scaffold tube suitable for supporting heavy loads and ensures the safety of workers on the scaffolding.

Name

The name Galvanised Scaffold Tube perfectly describes the product. It is a scaffold tube made from galvanised steel. The name also highlights the main feature of the product, which is its galvanised surface treatment.

Surface Treatment

The Galvanised Scaffold Tube undergoes a hot dip galvanisation process, where it is immersed in a bath of molten zinc. This creates a protective layer of zinc on the surface of the steel, making it resistant to corrosion and rust. The galvanised surface treatment also gives the scaffold tube a smooth and shiny appearance, making it more visually appealing.

In conclusion, the Galvanised Scaffold Tube is a high-quality and durable product that meets the EN39 standard. Its galvanised steel material, high yield strength, and galvanised surface treatment make it a reliable and safe choice for any construction project.





Technical Parameters:

Specification	Value
Thickness	3.2mm
Name	Galvanised Scaffold Tube
Material	Galvanised Steel
Surface Treatment	Galvanised
Weight	6.4kg/m
Diameter	48.3mm
Tensile Strength	420N/mm ²
Application	Scaffolding
Yield Strength	245N/mm ²
Standard	EN39
Keywords	scaffolding tubes, galvanized, metal tubing, pipe scaffold tube



Applications:

Galvanised Scaffold Tube - Perfect for Construction and Building Applications

If you are looking for a reliable and durable scaffolding system for your construction or building project, look no further than Bythai Scaffolding's Galvanised Scaffold Tube. Our BT01 model is the perfect combination of quality and affordability, making it the top choice for industrial and commercial applications.

Experience the Benefits of Galvanised Scaffold Tube

Our Galvanised Scaffold Tube is made from high-quality galvanized pipe, ensuring maximum strength and durability. The tube and

coupler scaffolding system is designed to provide exceptional safety and stability for workers, allowing them to work at elevated heights with ease and confidence.

With a thickness of 3.2mm and a diameter of 48.3mm, our Galvanised Scaffold Tube is strong enough to support heavy loads, making it suitable for a wide range of construction and building projects. Each tube weighs 6.4kg/m, making it lightweight and easy to handle, while still maintaining its strength and stability.

Versatility and Easy Installation

One of the key advantages of our Galvanised Scaffold Tube is its versatility. It can be used for various applications, including construction, building, and industrial projects. Whether you need to construct a temporary platform, a stairwell, or a support structure, our tube scaffolding system can be easily adapted to meet your specific needs.

In addition, our Galvanised Scaffold Tube is designed for easy installation, saving you time and effort. With its simple and efficient design, our scaffolding system can be set up and dismantled quickly and easily, making it a cost-effective solution for your construction needs.

Certified Quality and Reliable Supply

At Bythai Scaffolding, we are committed to providing the highest quality products for our customers. Our Galvanised Scaffold Tube meets the strict standards of EN39, ensuring its safety and reliability for use in construction and building projects. It is also certified by SGS, a globally recognized third-party inspection, verification, testing, and certification company.

We understand the importance of timely delivery for construction projects. That's why we have a large supply capacity of 1000 tons per month, ensuring that you can get your Galvanised Scaffold Tube when you need it. Our tubes are packaged in bundles for easy transportation and we offer flexible payment terms of TT/LC to meet your specific needs.

Choose Bythai Scaffolding for Your Scaffolding Needs

In conclusion, our Galvanised Scaffold Tube is the perfect choice for all your construction and building needs. With its exceptional safety, stability, durability, versatility, and easy installation, it is the ideal scaffolding system for any project. Plus, its affordable price range of \$5-\$18 makes it a cost-effective solution for all types of construction and building applications. Trust Bythai Scaffolding for all your scaffolding needs and experience the difference in quality and service.

Customization:

Customized Services for Galvanised Scaffold Tube

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Tensile Strength: 420N/mm²

Name: Galvanised Scaffold Tube

Standard: EN39

Diameter: 48.3mm

Material: Galvanised Steel

At Bythai Scaffolding, we understand that every construction project has unique requirements. That's why we offer customized services for our Galvanised Scaffold Tube to meet your specific needs. Our experienced team will work closely with you to ensure that the final product meets your exact specifications and standards.

Our Galvanised Scaffold Tube is made from high-quality galvanized steel, ensuring durability and strength. With a diameter of 48.3mm and a tensile strength of 420N/mm², our tubes can withstand heavy loads and harsh environments.

In addition to our standard EN39 specifications, we offer customizable options such as different lengths, wall thicknesses, and surface treatments. We also provide personalized packaging options to suit your transportation and storage needs.

Our competitive pricing, fast delivery time, and flexible payment terms make us the ideal choice for your scaffolding needs. With a supply ability of 1000tons per month, we can accommodate projects of any size.

Trust Bythai Scaffolding for all your metal tubing and galvanized scaffolding pipe tube needs. Contact us now to discuss your customized service requirements.

Packing and Shipping:

Packaging and Shipping of Galvanised Scaffold Tube

Galvanised scaffold tube is packed in strong and durable packaging to ensure safe transportation and delivery to our customers. Each bundle of tubes is securely wrapped with plastic and strapped with steel bands to prevent any damage during handling and shipping.

The length of each tube is clearly marked on the packaging for easy identification and inventory management. Additionally, the packaging is clearly labelled with product information, including the type and size of the tubes.

For shipping, we use reliable and reputable carriers to ensure timely and efficient delivery. Our packaging is designed to withstand the rigors of transportation and ensure that the tubes arrive at their destination in excellent condition.

As an added measure of protection, we also offer the option of custom packaging, where the tubes can be packed in crates or pallets according to specific customer requirements.

Our team takes great care in packaging and shipping galvanised scaffold tubes to ensure that they reach our customers in perfect condition. With our attention to detail and commitment to quality, you can trust us to deliver your order safely and on time.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China