

China Factory Scaffolding Pipe Hot Sale 48.3 3.2mm Construction Q235 Galvanized Steel Tube

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT01
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Name: Galvanised Scaffold Tube
- Standard: EN39
- Thickness: 3.2mm
- Tensile Strength: 420N/mm²
- Application: Scaffolding
- Surface Treatment: Galvanised
- Weight: 6.4kg/m
- Yield Strength: 245N/mm²
- Highlight: **Galvanized scaffold Tube, HConstruction Galvanized Steel Tube, 3.2mm scaffold Tube**



Product Description:

The Galvanised Scaffold Tube is a premium-grade, high-strength construction component designed to provide unparalleled support and stability in various scaffolding applications. With a tensile strength of 420N/mm², this scaffold tube offers exceptional load-bearing capacity, making it an indispensable element for construction projects that demand both safety and reliability. The tensile strength indicates the maximum stress that the scaffold tube can withstand while being stretched or pulled before necking, which is when the specimen's cross-section starts to significantly contract. The 420N/mm² rating ensures that these tubes can handle the rigorous stresses of construction environments with ease.

Our scaffold tubes are manufactured with a focus on durability and longevity. The surface of each tube undergoes a galvanisation process, which involves the application of a protective zinc coating. This coating not only shields the steel from the harsh elements but also provides resistance against rust and corrosion. Galvanisation enhances the scaffold tubes' resilience in outdoor settings, where they are exposed to varying weather conditions. This surface treatment ensures that the scaffold tube will maintain its structural integrity and appearance over time, resulting in a longer service life and reducing the need for frequent replacements or repairs.

Technical Parameters:

Attribute	Details
Name	Galvanised Scaffold Tube
Diameter	48.3mm
Tensile Strength	420N/mm ²
Yield Strength	245N/mm ²
Thickness	3.2mm
Weight	6.4kg/m
Application	Scaffolding
Standard	EN39
Material	Galvanised Steel
Surface Treatment	Galvanised

Applications:

Adhering to the **EN39 standard**, the Bythai Scaffold Tubes are compatible with various scaffolding systems used globally. This makes them suitable for a wide range of scenarios, from construction sites for new buildings and bridges to renovations and repairs of existing structures. The robust nature of the bs1139 scaffolding tube ensures safety and stability, which is paramount in high-risk environments like construction sites.

With a substantial supply ability of **1000 tons per month**, Bythai Scaffolding can fulfill orders for both small and large projects, maintaining a consistent supply chain for its clients. Whether it's for temporary structures, staging, access towers, or shoring, this metal tubing is a fundamental resource for ensuring that projects are completed efficiently, safely, and to the desired quality standards.





Our **Galvanized Scaffold Tube** is a high-strength, durable solution for your scaffolding needs. Manufactured by *Bythai Scaffolding*, this scaffold aluminum tube is designed to meet the demands of various construction environments. The **galvanized scaffold tube 48** features a 48.3mm diameter, ensuring robust performance and compatibility with standard scaffolding systems. Each tube is made from high-quality **Galvanized Steel** with a yield strength of 245N/mm^2 and tensile strength of 420N/mm^2 , offering exceptional structural integrity. For your large-scale projects, our **hot dip galvanized scaffolding steel tube** ensures maximum corrosion resistance and longevity. Order your galvanized scaffold tubes from Bythai Scaffolding and benefit from our reliable **SGS** certified products, quick delivery time, and efficient service.



Bythai Scaffolding Co.,Ltd

☎ 17300780862

✉ info@bythaiscaffolding.com

🌐 bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China