

## Scaffolding System Accessories Q235 BS1139 48.3mm/60.3mm/89mm Forged / Pressed Galvanized Coupler

Our Product Introduction

for more products please visit us on [bythaiscaffold.com](http://bythaiscaffold.com)

### Basic Information

- Place of Origin: china tianjin
- Brand Name: scaffolding coupler
- Certification: SGS
- Model Number: BT205
- Minimum Order Quantity: 1000
- Price: 8.5-15.8
- Packaging Details: In bundles
- Delivery Time: 15-25
- Payment Terms: TT/TC



### Product Specification

- MOQ: 1000
- Name: Scaffolding Coupler
- Application: Construction
- Feature: High Strength
- Material: Steel
- Color: Silver
- Standard: EN74-1
- Surface Treatment: Galvanized
- Highlight: **Galvanized Scaffolding coupler, Q235 Scaffolding coupler, 48.3mm Scaffolding coupler**



Product Description:

The Scaffolding Coupler is an integral component in the construction industry, serving as one of the key manual scaffold connection tools necessary for erecting and securing various scaffold structures. Designed to provide a robust and reliable connection between scaffold tubes, this product is manufactured by some of the most respected British coupler manufacturers, ensuring a standard of quality that is recognized globally. Crafted from high-strength steel, the scaffolding coupler boasts durability and a capacity to withstand the rigors of construction environments.



Each coupler is meticulously engineered to serve as a pivotal part of steel structure scaffold connectors, ensuring that the integrity of the scaffold is maintained at all times. The choice of steel as the material for these couplers is not incidental; steel provides the resilience and the load-bearing capacity required to keep construction workers safe and to support the heavy materials used in the building process. This makes the steel scaffolding coupler a trusted component in the industry.

The surface of each coupler undergoes a galvanizing process, which not only imparts a sleek silver color but also serves a critical functional purpose. Galvanization is a surface treatment that applies a protective zinc coating to the steel, effectively shielding it from corrosion and rust. This treatment ensures that the scaffolding couplers can be used in a variety of environments, including those exposed to harsh weather conditions, without compromising their structural integrity or lifespan. This attribute is particularly important since scaffold structures often remain erected for extended periods.

Technical Parameters:

Parameter	Specification
Material	Steel
Color	Silver
Standard	EN74-1
Surface Treatment	Galvanized
Package	Container
Feature	High Strength
Name	Scaffolding Coupler
Application	Construction
MOQ	1000

Maintenance is key to the reliable performance of our products, and we are here to help you keep your scaffolding in top condition. Contact us to schedule a maintenance service or for more information on the best practices for caring for your scaffolding components. Please note that our technical support and services are available during regular business hours. We strive to respond to all inquiries promptly and efficiently. Our goal is to provide you with the expertise and assistance you need to maximize the use of our Scaffolding Coupler product.





**Bythai Scaffolding Co.,Ltd**



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China