

China

Bythai Scaffolding

Galvanized Scaffold Tube 48 Tube And Clamp Coupler Scaffolding Tube Galvanized Scaffolding Pipe

Basic Information

- Place of Origin:
- Brand Name:
- Certification: SGS ISO
- Model Number: BT201
 Minimum Order 1000
- Quantity:
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 10-15 days
- Payment Terms: TT/TC
- Supply Ability: 1000tons per month



Product Specification

| Application: | Scaffolding |
|--------------------|--|
| Name: | Galvanised Scaffold Tube |
| Yield Strength: | 245N/mm2 |
| Tensile Strength: | 420N/mm2 |
| Material: | Galvanised Steel |
| Thickness: | 3.2mm |
| Surface Treatment: | Galvanised |
| • Diameter: | 48.3mm |
| Highlight: | clamp coupler scaffold tube, 48 Galvanized Scaffolding Pipe |



More Images









Product Description

Product Description:

The Galvanised Scaffold Tube is made from high-quality galvanised steel, which means that it is resistant to rust and corrosion. This makes it the ideal choice for outdoor projects, where exposure to the elements can be a concern. The galvanisation process involves coating the steel with a layer of zinc, which creates a protective barrier between the steel and the environment. This ensures that the scaffold tube remains in excellent condition, even after years of use.

The Galvanised Scaffold Tube has a yield strength of 245N/mm2, which means that it can support heavy loads without bending or breaking. This makes it an ideal choice for use in construction projects, where safety is a top priority. The high yield strength of this scaffold tube ensures that it can withstand the weight of workers, equipment, and materials, without compromising the integrity of the structure.

Whether you are a professional contractor or a DIY enthusiast, the Galvanised Scaffold Tube is an essential tool for your project. Its sturdy construction and high-quality materials make it a reliable choice for any scaffolding application. It can be used in combination with other steel tubes and stainless steel pipes to create a scaffolding system that is tailored to your specific needs.

In summary, the Galvanised Scaffold Tube is a high-quality steel tube that is ideal for use in construction, renovation, and maintenance projects. Made from galvanised steel, it is strong, durable, and resistant to rust and corrosion. With a thickness of 3.2mm and a diameter of 48.3mm, it has a high yield strength of 245N/mm2, which makes it capable of supporting heavy loads without bending or breaking. Whether you are a professional contractor or a DIY enthusiast, the Galvanised Scaffold Tube is an essential tool for your project.

Features:

Product Name: Galvanised Scaffold Tube Yield Strength: 245N/mm2 Diameter: 48.3mm Material: Galvanised Steel Application: Scaffolding

Surface Treatment: Galvanised

This scaffold aluminum tube is made of galvanised steel with a yield strength of 245N/mm2 and a diameter of 48.3mm. It is suitable for use in scaffolding applications and has been treated with a galvanised surface treatment to ensure maximum durability. This seamless pipe is a reliable and cost-effective solution for your scaffolding needs.

Technical Parameters:

| Standard | EN39 |
|--|--------------------------|
| Diameter | 48.3mm |
| Application | Scaffolding |
| Surface Treatment | Galvanised |
| Material | Galvanised Steel |
| Weight | 6.4kg/m |
| Name | Galvanised Scaffold Tube |
| Tensile Strength | 420N/mm2 |
| Yield Strength | 245N/mm2 |
| Thickness | 3.2mm |
| This is a second second sector of the data and stated and size | |

This is a seamless galvanized scaffold tube 48 made of steel and pipe.

Bythai Scaffolding Co.,Ltd

C 17300780862 Sinfo@bythaiscaffolding.com

bythaiscaffold.com

No. 605, Industrail Exchange Center, Huanghua Town Changsha Hunan China

